

**SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION****Product Name:** Mannington Ultra Premium Carpet Adhesive**Chemical Name:** Aqueous Adhesive Compound**Product Use/Class:** Carpet adhesive**Company Information:** Mannington Mills, Inc.  
P.O. Box 30 - Route 45  
75 Mannington Mills Road  
Salem, New Jersey 08079**Phone Numbers:** General: (856) 935-3000  
Product Emergency: (866) 359-5602  
Spill Response: (800) 424-9300**Effective Date:** January 20, 2010**Supersedes Date:** New**Reason for Revision:** N/A**SECTION 2 - COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name	CAS Number	Weight %	Exposure Guidelines				Other
			ACGIH - TLV		OSHA - PEL		
			TWA	STEL	TWA	Ceiling	
Proprietary							
This product contains no known hazardous ingredients							

**SECTION 3 - HAZARDS IDENTIFICATION****EMERGENCY OVERVIEW****Form:** Viscous liquid**Color:** Creamy Tan**Odor:** Low odor

## **WARNING STATEMENTS**

Keep out of reach of children. For professional use only.

## **POTENTIAL HEALTH EFFECTS**

### **Primary Routes of Exposure**

- **Eye Contact:** May cause eye irritation.
- **Skin Contact:** Prolonged exposure may irritate skin.
- **Inhalation:** No known effects.
- **Ingestion:** May cause irritation.
- **Chronic:** No known effects.
- **Other:** None known.

*Refer to Section 11 for toxicological information.*

## **SECTION 4 - FIRST AID MEASURES**

**If in Eyes:** Immediately flush eyes with water for 10-15 minutes. See a doctor if irritation persists.

**If on Skin:** Wash with soap and water.

**If Inhaled:** If symptomatic, move to fresh air.

**If Swallowed:** Seek medical attention immediately.

## **SECTION 5 - FIRE FIGHTING MEASURES**

**Flash Point:** > 212 deg. F. (non-flammable)

**Lower Explosive Limit (LEL) %:** Not established.

**Upper Explosive Limit (UEL) %:** Not established.

**Auto-Ignition Temperature:** Non-flammable in liquid state.

**OSHA Flammability Classification:** Non-flammable.

**Hazardous Products of Combustion:** Normal CO<sub>x</sub> decomposition products.

**Extinguishing Media:** Water, CO<sub>2</sub>, dry chemical.

**Unusual Fire and Explosion Hazards:** None.

**Fire Fighting Equipment:** Wear full firefighting protective clothing and self-contained breathing apparatus.

**Miscellaneous Advice:** Use water fog to cool containers exposed to extreme heat.

*Refer to Section 10 for additional information.*

## **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

**Personal Precautions:** Use protective clothing and impervious gloves when cleaning up spills.

**Methods for Clean-up:** Recover as much as possible and wash floor afterwards with water.

Smaller spills may be wiped up or absorbed onto inert material and handled as solid waste.

*Refer to Section 13 for disposal information.*

*Refer to Sections 14 and 15 for reportable quantity information.*

## SECTION 7 - HANDLING AND STORAGE

**Handling:** Avoid skin and eye contact. Remove contaminated clothing.

**Storage:** Store inside between 40 - 100 deg. F. Protect from freezing.

*Consult the Mannington Professional Installation Handbook for additional information on handling and storage.*

## SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering Controls:** None known.

**Respiratory Protection:** None required with adequate ventilation.

**Eye Protection:** Safety glasses recommended.

**Hand and Skin Protection:** Avoid contact with skin when handling adhesive.

**Other Protective Equipment:** Wear protective clothing to avoid skin contact.

*Hygienic Practices: Always wash hands before eating, smoking or using toilet facilities. Do not smoke in any chemical handling or storage area. Food or beverages should not be consumed anywhere this product is handled or stored. Wash thoroughly after handling.*

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Creamy	<b>Water Solubility:</b> insoluble (dispersible)
<b>Physical State:</b>	Paste	<b>Volatiles (Wt. %):</b> 34-36% as water
<b>Melting Point:</b>	Not applicable	<b>VOC (Grams Per Liter):</b> 0 (calculated)
<b>Boiling Point:</b>	212 deg. F.	<b>Vapor Pressure:</b> Same as water
<b>Density:</b>	9.5 lbs./gallon	<b>Evaporation Rate:</b> Same as water
<b>Vapor Density:</b>	Same as water	<b>pH:</b> 9.5 - 9.9
<b>Specific Gravity:</b>	1.14 ( <i>Water = 1.0</i> )	<b>Decomposition Temperature:</b> Not established.

## SECTION 10 - STABILITY AND REACTIVITY

**Conditions to Avoid:** Excessive heat or cold.

**Materials to Avoid:** None known.

**Stability:** Stable.

**Hazardous Reactions:** None known.

**Hazardous Polymerization:** Will not occur.

**Hazardous Decomposition Products:** Normal decomposition products (CO, CO<sub>2</sub>).

## SECTION 11 - TOXICOLOGICAL INFORMATION

**Product LD50 (Oral):** Not established.

**Product LD50 (Dermal):** Not established.

**Product LC50:** Not established.

**Immediate (Acute) Effects:** None known.

**Delayed (Subchronic & Chronic) Effects:** None known.

## **SECTION 12 - ECOLOGICAL INFORMATION**

No information available for this product.

## **SECTION 13 - DISPOSAL CONSIDERATIONS**

**US EPA RCRA Status:** Does not meet RCRA's characteristic definition of ignitability, corrosivity, or reactivity, and is not listed in 40 CFR 261.33.

**Disposal Considerations:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Disposal Method:** Transfer liquids and solid diking or absorbent materials in separate containers for recovery or disposal.

**Miscellaneous:** Disposal should be done in accordance with all local, state and federal (40 CFR Part 261) regulations. Be aware that state and local requirements differ widely depending on location and may in many cases be different from federal rules.

## **SECTION 14 - TRANSPORT INFORMATION**

The information provided in this section is for information only. Please apply the appropriate regulations to properly classify your shipment for transport.

**DOT Proper Shipping Name:** Not regulated for transport.

**DOT Hazard Class:** Unregulated.

**DOT UN/NA Number:** Unregulated.

**Packing Group:** Unregulated.

**Emergency Response Guide Number:** 800-424-9300

**Other:** 866-359-5602

## **SECTION 15 - REGULATORY INFORMATION**

**U.S. Federal Regulations:**

**SARA Section 313:** To the best of our knowledge, this product does not contain any substance(s) above the de minimus level which require reporting under this statute.

**Toxic Substances Control Act:** All components of this product appear on the Inventory of Chemical Substances published by the U.S. Environmental Protection Agency (EPA) under the authority of the Toxic Substances Control Act (TSCA).

**Inventory Status:** Components are TSCA Inventory listed.

**Export Notification:** Not known.

**Other:**

## SECTION 16 - OTHER INFORMATION

Hazard Ratings	Health	Fire	Reactivity	Additional Information
<b>Suggested NFPA Rating</b>	1	0	0	Personal Protection - B
<b>Suggested HMIS Rating</b>				

### **Disclaimer:**

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date of hereof, the company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will the company be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

### **Legend:**

N.E. - Not Established	S - Skin
N.A. - Not Available	ppm - Parts per Million
N/A - Not Applicable	° F. - Degrees Fahrenheit
C - Ceiling (Exposure Levels)	° C. - Degrees Centigrade
PEL - Permissible Exposure Limits	STEL - Short-Term Exposure Limit
OEL - Occupational Exposure Limit	CIH - Certified Industrial Hygienist
TSCA - Toxic Substances Control Act	TWA - Time Weighted Average
NFPA - National Fire Protection Association	
TLV - Exposure Limits Developed by ACCIH	
MSHA - Mine Safety and Health Administration	
NIOSH - National Institute for Occupational Safety	
OSHA - Occupational Safety and Health Administration	
HAZCOM - Hazard Communication Standard (29CFR1910.1200)	
ACGIH - American Conference of Government Industrial Hygienists	
CERCLA - Comprehensive Environmental Response, Comprehensive and Liability Act	