

nature's paths®

nature's paths® locksolid



NATURE'S PATHS AND

NATURE'S PATHS LOCKSOLID

DELIVER THE INDUSTRY'S HIGHEST

PERFORMANCE WITH A BALANCED

COLLECTION OF WOOD VISUALS

IN SOPHISTICATED SHADES FOR

ENDLESS DESIGN POSSIBILITIES





Applewood - Natural



American Walnut - Cocoa
Bamboo - Caramel



Teak - Bengal
Teak - Nepal
Windsor Oak - Gunstock



Heritage Cherry - Select
Northern Maple - Natural

Nature's Paths® LockSolid

an LVT Performance Revolution

Ease of Installation

- Floating floor installs over most existing surfaces
- Avoids abatement requirements
- Avoids moisture remediation
- Suitable for installations on concrete subfloors with up to 8 lbs. MVER or 95% RH. See Professional Installation Handbook for details.




Specifications

Plank size – 4" x 36" (nominal) Thickness – 4.0 mm (nominal)
Pieces per carton – 16 Carton weight – 25.1 lbs.
Square feet per carton – 14.5 Cartons per pallet – 80

Economic Advantages

- Save up to 20% - 50%
 - Installs over most existing surfaces
 - reduced floor prep time
 - Glueless locking system
 - fast and easy installation
 - No adhesive required
 - No adhesive cure time
- Less workplace down time for greater productivity

Nature's Paths® LockSolid Cost Savings



Approximate cost to end user. Additional savings (up to 50%) in situations where moisture mitigation or remediation is required.

Exceptional Performance

- Superior hold strength for no buckling or seam separation
- Excellent durability under heavy rolling loads
- Features Quantum Guard™ HP wearlayer
 - Superior stain and wear resistance
 - No polish, no buffing maintenance option

Nature's Paths® LockSolid Performance



The Long Term Shear Strength Test incorporates time and force under constant steady pressure to simulate floor movement.

Under demanding Shear Strength Test conditions, Nature's Paths LockSolid does not fail.

Ease of Mind Warranties

- Limited 10 Year No Gap Warranty
- Limited 10 Year Quantum Guard HP Wear Warranty
- Limited 10 Year Commercial Warranty

Eco-Savvy Attributes

- Glueless installation system
- Makes for a cleaner environment, no adhesive VOC's
- Less materials and waste involved
- Less time and energy used

FEATURES

Nature's Paths offers a wide selection of beautiful wood planks in various species and widths.

Mannington's Nature's Paths LockSolid delivers the industry's highest performance Luxury Vinyl Tile. Our proprietary glueless locking system saves installation time and money, provides superior hold strength, and is backed by a No Gap Warranty.

Quantum Guard™ HP is a patented urethane wearlayer with aluminum oxide cured by an ultraviolet UV process. It is the highest performance urethane finish in the industry, which provides exceptional wear resistance, stain resistance and lowers maintenance costs. No polish, no buffing maintenance option.

Limited 10-Year Commercial Warranty. Limited 10-Year Quantum Guard™ HP Finish Warranty. Limited 10-Year No Gap Warranty for Nature's Paths LockSolid.



- Certified under FloorScore – an independent 3rd Party IAQ verification system for low emitting flooring. Approved as CHPS 01350 compliant and recognized in LEED IEQ Credit 4.3
- ISO 9001 and 14001 registered manufacturing facility
- Adhesives meet VOC Content limit of SCAQMD Rule #1168 and can contribute to LEED IEQ Credit 4.1